

T500 Series Fixed (Picture Window)

Features

- ♦ Commercial Framing System
 - 31/4" main frame
 - 0.062" wall thickness of frame and sash
- ♦ Enhanced Design
 - Azon pour and debridge thermal break is ½" wide in all main frame and vent rail extrusions
- ♦ Glazing
 - 1" insulating glass

Benefits

- The capacity to match exterior colors for unique project facades
- The ability to facilitate large sizes for taller and wider window openings

Performance

♦ Structural & Thermal (test reports or thermal simulations available upon request)

Model	Fixed (Picture Window)
NAFS Rating	up to AW-50
Test Size	72" x 72"
Structural Load P.S.F.	75
Air Infiltration (cfm/ft²)	<0.10
Water (No Penetration) P.S.F.	10
U-Value (with Low-E and Argon)	0.28-0.52
SHGC (with Low-E and Argon)	0.13-0.67

Due to periodic re-certification requirements, result shown may vary.

Options


- Available Configurations
 - Fixed
 - Geometric Shapes
- ♦ Muntin Choices
 - Internal or simulated divided lites available
- ♦ Nailing Fin
- ♦ Glazing
 - Multiple Low-E and argon glazing choices
 - Capillary tubes
 - Wide variety of glazing, tinting and thickness options
- Panning & Trim Choices
 - Wide variety of panning, receptor and trim available
- ♦ Mulling
 - Wide variety of structural mulls












T500 Series Fixed (Picture Window)

Shown without **Nailing Fin**


This document contains confidential and proprietary information intended for the private use


© 2016 Quaker Window Products Co., Inc. All rights reserved.
Quaker reserves the right to change any/all designs without notice.












SCALE I:2












T500 Series Narrow Rail Fixed (Picture Window)

Shown with Nailing Fin

This document contains confidential and proprietary information intended for the private use of Quaker.

© 2016 Quaker Window Products Co., Inc. All rights reserved. Quaker reserves the right to change any/all designs without notice.















T500 Series Narrow Rail Fixed (Picture Window)

Shown without Nailing Fin


This document contains confidential and proprietary information intended for the private use of Quaker.


© 2016 Quaker Window Products Co., Inc. All rights reserved. Quaker reserves the right to change any/all designs without notice.












SCALE I:2











Shown with Double Jamb and 3 1/8" horizontal center sightline

This document contains confidential and proprietary information intended for the private use of Quaker.


intended for the private use of Quaker.

© 2016 Quaker Window Products Co., Inc. All rights reserved.

Quaker reserves the right to change any/all designs without notice.








SCALE 1:2

37.

-WINDOW WIDTH-

T500 Series Narrow Rail Fixed















Shown with Double Jamb and 3 1/8" vertical center sightline

This document contains confidential and proprietary information intended for the private use of Quaker.


© 2016 Quaker Window Products Co., Inc. All rights reserved.


© 2016 Quaker Window Products Co., Inc. All rights reserved. Quaker reserves the right to change any/all designs without notice.



T500 Series Narrow Rail Fixed (Picture Window)








SCALE 1:2












T500 Series Narrow Geometric Fixed


This document contains confidential and proprietary information intended for the private use of Quaker.
© 2016 Quaker Window Products Co., Inc. All rights reserved.


© 2016 Quaker Window Products Co., Inc. All rights reserved. Quaker reserves the right to change any/all designs without notice.

VERTICAL









SCALE 1:2





